

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IX LABORATORY 1337 S. 46TH STREET BLDG. 201 RICHMOND, CA 94804-4698

OCT 1 9 2001

MEMORANDUM

SUBJECT: Case R01S26, SDG 01261A

Results for Perchlorate Analysis

FROM: Brenda Bettencourt, Director

EPA Region 9 Laboratory (PMD-2)

TO: Kevin Mayer, Remedial Project Manager

Northern California Cleanup Section (SFD-7-2)

Attached are the report narrative and results spreadsheet from analysis of samples from the Colorado River Perchlorate Study. These data have been reviewed in accordance with EPA Region 9 Laboratory policy. Summary information for the data included in this report is as follows:

SITE/PROJECT: Colorado River Perchlorate Study

CASE: R01S26

LABORATORY: U. S. EPA Region 9 Laboratory

SAMPLE DELIVERY GROUP(s): 01261A

ANALYSIS: Perchlorate (EPA method 314.0)

A full documentation package for these data, including raw data and sample custody documentation, has been prepared and is filed at the Region 9 Laboratory. Please contact Vance Fong of the Quality Assurance Program (PMD-3) to request further review and/or validation of the data.

If you have any questions please contact Rich Bauer at (510) 412-2312, or Ken Hendrix at (510) 412-2321.

ATTACHMENT: Analytical Report

USEPA REGION 9 LABORATORY REPORT NARRATIVE

CASE NUMBER:

R01S26

SAMPLE DELIVERY GROUP:

01261A

PROGRAM:

SUPERFUND

DOCUMENT CONTROL #:

B0101011-0637

DATE:

10/02/01

ANALYSIS:

Perchlorate

SAMPLE NUMBERS:

SAMPLE ID LABORATORY SAMPLE ID

09421500	AB32389
09419700	AB32390
09419800	AB32391
09415000	AB32392

GENERAL COMMENTS

Four water samples were received from the Colorado River Perchlorate Study Superfund project on 09/18/01.

The requested analysis was perchlorate by Region 9 Laboratory SOP #531 (EPA Method 314.0). The samples were analyzed within the suggested 28-day holding time.

SAMPLE RECEIPT AND PRESERVATION

Samples where received with no custody seals on box and at a temperature of 19°C, which is outside the 2-6°C temperature requirements. It is believed this discrepancy will not have a significant effect on the perchlorate results.

QC COMMENTS

No analyte was detected in the LRB associated with this SDG.

The perchlorate result for QC sample AB32290 was greater than 4x the added LFM of 5 ug/L. No LFM and LFM duplicate recoveries were calculated for the the 5 ug/L perchlorate spike. All other LFM and LFM duplicate recoveries were within the 70-130% QC limits.

The RPD between the LFM and LFM duplicate for perchlorate was less than the 20% QC limits.

The LFB recovery was within the 90-110% QC limits.

Questions concerning the data can be answered by Osell Salvador at (510) 412-2358.

GLOSSARY

Laboratory Reagent Blanks (LRB)

A laboratory reagent blank is laboratory reagent water or baked sand with all reagents added and carried through the same sample preparation and analytical procedures as the field samples. The laboratory reagent blank is used to determine the level of contamination introduced by the laboratory during analysis.

<u>Laboratory Fortified Matrix (LFM)</u>, <u>Laboratory Fortified Matrix Duplicate (LFMD)</u> and <u>Laboratory Duplicate (LD)</u> Analysis

The laboratory fortified matrix spike sample and laboratory duplicate analyses provide information about the effect of the sample matrix on sample preparation and measurement. Poor percent recovery (%R) results and large relative percent difference (RPD) between duplicates may indicate inconsistent laboratory technique, sample nonhomogeneity in soils, or matrix effects which may interfere with analysis.

Laboratory Fortified Blank (LFB) Analysis

The laboratory fortified blank is laboratory reagent water or baked sand with a known concentration of the analytes of interest added by the laboratory with all reagents added and carried through the same sample preparation and analytical procedures as the field samples. Poor percent recovery (%R) results may indicate inconsistent laboratory technique.

EPA REGION 9 LABORATORY-RICHMOND, CA SUMMARY OF ANALYTICAL RESULTS

Case Number:

R01S26

Colorado River Study

Analysis: Matrix:

Perchlorate

Water

Site: SDG: Date:

01261A

OIMOXXX
10/02/01

Sample No.	09421500			09419700		09419800			09415000				Reagent				Filtered		-	
Sample I.D.	Colorado River Blw	Hoover D	am	Las Vegas Wash N	ir Henderson	Las Vegas Wash	Nr Boulder	City	Virgin River @	Littlefield	,AZ		Blank			-	Reagent Blan	k		
Lab Sample I.D.	AB32389			AB32390		AB32391			AB32392				N/A				N/A			
Date of Collection	08/30/01			08/28/01		08/27/01			08/29/01				N/A				N/A			
Units	ng/L			ug/L		ug/L			ug/L				ug/L				ug/L		_	
Analyte	Result	Q	Com	Result	Q Co	n Result	Q	Com	Result		Q	Com	Result		Q	Com	Result		Q	Com
Perchlorate	5			58		450			5	U			5	U			5	U		

Com - Comments refer to the corresponding section in the report narrative for each letter.

N/R - Not Required.

Q - Refer to data qualifiers.

U - The parameter was analyzed for, but was not detected; The associated value is the sample quantitation limit, adjusted for dilution, if any.

J - The associated value is an estimated quantity.

Quantitation
Limit
N/A
N/A
ug/L
Result
5

Com - Comments refer to the corresponding section in the report narrative for each letter.

N/R - Not Required.

Q - Refer to data qualifiers.

. U - The parameter was analyzed for, but was not detected; The associated value is the sample quantitation limit, adjusted for dilution, if any.

J - The associated value is an estimated quantity.

Filename: 01261A.123